




® G-STRUT 4100 13<sup>th</sup> Street SW, Canton OH 44710  
 Phone: 866.997.8788 – Fax: 330.477.0626  
[www.gregorystrut.com](http://www.gregorystrut.com)

## PIPE SADDLE SUPPORT w/STUD – SERIES W245



- Size Range:** 2" thru 12" pipe size.  
**Material:** Steel.  
**Finish:** Plain.  
**Ordering:** Specify pipe size; finish and series #.  
**Approvals:** Complies with Federal Specification WW-H-171E & A-A-1192A (Type 39) and Manufacturers Standardization Society MSS SP-69 & SP-58 (Type 38).  
**Function:** Design for support of horizontal pipe from floor stand where vertical adjustment is required. Shank will fit into Schedule 40 pipe size and stand 'B'.  
**Available In:** Electro-Glavanized

PART #	PIPE SIZE	SIZE (A)	MAX. O.D. OF PIPE	SCHEDULED 40 PIPE SIZE	LBS./ 100pcs
W245120	2"	7/8"	2-3/8"	1"	167
W245124	2-1/2"	7/8"	2-7/8"	1"	171
W245130	3"	7/8"	3-1/2"	1"	176
W245134	3-1/2"	1"	4"	1"	345
W245140	4"	1"	4-1/2"	1"	360
W245150	5"	1"	5-9/16"	1"	381
W245160	6"	1-1/4"	6-5/8"	1-1/4"	550
W245180	8"	1-1/4"	8-5/8"	1-1/4"	700
W2451100	10"	1-1/2"	10-3/4"	1-1/2"	766
W2451120	12"	1-1/2"	12-3/4"	1-1/2"	895

All above saddle supports are plain steel.  
 To order other finishes, change the 5th character in the Part # as seen below:  
 ELECTRO-GALVANIZED = 2  
 Example: **W245 2 20** = ELECTRO-GALV  
 2

PROJECT INFORMATION	APPROVAL STAMP
Project:	Notes:
Address:	
Contractor:	
Engineer:	
Date:	
Approved <input type="checkbox"/> Approved as Noted <input type="checkbox"/> Not Approved <input type="checkbox"/>	